



**REQUEST FOR QUOTATION (RFQ)**  
**RFQ-WVR-15-004**

**PURCHASE OF I.T. EQUIPMENT**

The Housing and Land Use Regulatory Board Western Visayas Region (HLURB-WVR) Field Office, through its Bids and Awards Committee, hereby requests you to submit the price quotation for the purchase of the following I.T. Equipment:

Item	Quantity	Approved Budget
1. Printers (Inkjets-Tank Type)	5	P 25,000.00
2. Projectors (Regular) w/ LCD Screen	2	50,000.00
3. Digital Camera	2	40,000.00
4. Wifi/Access Points	2	5,000.00
5. Unmanaged Gigabit Switches	1	15,000.00
6. Voice Recorder	1	3,500.00
7. Document Scanner (ADF)	1	35,000.00
8. ArcGIS License	1	150,000.00

The details of the project/activity/program in accordance with Section 52.1(b) of the Implementing Rules and Regulations of Republic Act No. 9184 are as follows:

Name of Project: Supply and Delivery of IT Equipment (as above-listed)

Specification: (Pls. refer to attached Annex "A" for technical specification)

Area of Delivery: HLURB - WVR, 2/Floor INJAP Building, Diversion 2011, Diversion Rd., B. Aquino Avenue, Mandurriao, Iloilo City

Approved Budget Three Hundred Twenty Three Thousand Five Hundred for the Contract: (P 323,500.00) Pesos only

Submission of Bids: Within seven (7) days from the date of posting of RFQ

Interested suppliers are required to submit copies of their PhilGEPS Registration Certificate, and duly accomplished Price Quotation Form (Annex "A").

Submission of quotation and required eligibility documents on or before 4:00 P.M. of June 8, 2015 at HLURB-WVR, 2/Floor INJAP Building, Diversion 2011, Diversion Road, B. Aquino Avenue, Mandurriao, Iloilo City.

For inquiries, you may contact us at TeleFax No. (033) 3216177 and (033) 5018202.

Original Signed

**ATTY. MELCHOR M. CALOPIZ**  
HLURB-WVR BAC Chairman

**PRICE QUOTATION FORM****ATTY. MELCHOR M. CALOPIZ**

BAC Chairman, HLURB-WVR

2/Flr., INJAP Bldg., Diversion 2011, Div. Rd.,

B. Aquino Avenue, Mandurriao, Iloilo City

Sir/Madam:

After having carefully read and accepted the terms and conditions and the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Description	Qty.	Specification	Price
1. <b>Printer (Inkjets-Tank Type)</b>	5 Units	EPSON L120 Ink Tank System Printer	
2. <b>Projectors (Regular) w/ LCD Screen</b>	2 Sets	<p><b>PROJECTOR</b></p> <p>Technical Specifications</p> <ul style="list-style-type: none"> <li>- DLP Projection System</li> <li>- XGA (1024 x 768)</li> <li>- 3500 Ansi Lumens</li> <li>- 3,500 hours (Normal Mode)</li> <li>- 5,000 hours (Low Power)</li> <li>- 7,000 hours (Eco Blanking)</li> <li>- 15,000:1 Contrast Ratio</li> <li>- 1.07 Billion Colors</li> <li>- Wifi-Ready</li> <li>- USB Plug and Play</li> <li>- with 2GB Internal Memory</li> <li>- Connections : HDMI 1.4, VGA x 2, USB-A (for USB thumb drive or wireless network adapter), USB Mini-B (for display over USB&amp; internalmemory file management), Composite Video, S-Video, 3.5mm stereo in x 2, RS232, USB-B (control &amp; firmware).</li> <li>- Weight : 3.2 kg. or less</li> <li>- Dimensions : 292 x 220 x 108 mm</li> </ul> <p>Functionalities</p> <ul style="list-style-type: none"> <li>- Display over HDMI and USB</li> <li>- PC-less display from USB Drive</li> <li>- Wireless Office docs, video, audio and photos from mobile device</li> <li>- Wireless PC Presentation via Wifi</li> </ul> <p>Accessories</p> <ul style="list-style-type: none"> <li>- 3 x Remote Control ; 3 x Carrying Bags ; 2 x Standard Length VGA Cable ; 1 x 10 m VGA Cable</li> <li>- 1 x Regular Lenght HDMI Cable ; 2 x 5 M HDMI Cable ; 1 x 15 M HDMI Cable</li> <li>- 2 x Wireless Network Adapter(for Wifi connectivity) ; 2 x HDMI to VGA adaptor</li> </ul> <p>Ceiling Mounting/Installation and Cabling for 1 unit</p>	

		<ul style="list-style-type: none"> <li>- power and HDMI cable connection</li> <li>- Projector Ceiling Mount Bracket Standard</li> <li>- Conduit Materials</li> <li>- Labour Charges</li> </ul> <p><b>Wall/Ceiling Mounted Tripod Screen</b> (84" x 84") - including installation.</p> <p><b>Tripod Screen (70" x 70")</b></p>	
<b>3. Digital Camera</b>	2 Units	<p><b>CANON EOS 1200D</b></p> <p>Specifications:</p> <ul style="list-style-type: none"> <li>- Lens Mounts : Canon EF-S</li> <li>- Effective Magnification 1.6x</li> <li>- CCD pixels 18Mp (Megapixels)</li> <li>- Pixels (W) 5184</li> <li>- Pixels (H) 3456</li> <li>- Sensor Type CMOS</li> <li>- Sensor Size APS-C</li> <li>- Sensor Size (width) 22.3mm</li> <li>- Sensor Size (height) 14.9mm</li> <li>- Aspect Ratio 3:2</li> <li>- Screen resolution 460k</li> <li>- Focusing modes : Autofocus/Manual</li> <li>- Shutter speeds shortest 1/4000sec</li> <li>- Shutter speeds longest 30sec</li> <li>- ISO sensitivity 100 - 12800</li> <li>- Auto Exposure Bracketing 3 shots +/- 2 EV, 1/2 or 1/3-stop increments.</li> <li>- Movie mode Yes</li> <li>- Video Resolution : 1920x1080 ; 1280x720 720p ; 640x480 VGA</li> <li>- Video FPS 30, 25, 24fps</li> <li>- Optical Zoom with Video Yes</li> <li>- Battery Type Rechargeable Li-ion Battery LP-E10</li> </ul>	
<b>4. Wifi/Access Points</b>	2 Units	<p><b>CISCO Linksys WAP300N Wireless-N Access Point N300 Dual Band</b></p> <p>Technical Specifications:</p> <ul style="list-style-type: none"> <li>- Technology : Wireless-N</li> <li>- Bands : 2.4 GHz and 5 GHz</li> <li>- Standards : IEEE 802.11g, 802.11b, 802.11a, 802.11n</li> <li>- Antennas : 2 External R-SMA</li> <li>- External Ports x Speed : 1 x 10/100</li> <li>- Software Setup : CD Install</li> <li>- OS Compatibility : Windows, MAC</li> </ul>	
<b>5. Unmanaged Gigabit Switches</b>	1 Unit	<p><b>GIGABIT 24-Port Network Switch</b></p> <p>Technical Specifications:</p>	

		<p>Switching capacity : 48 Gbps  Forwarding capacity : 35.7 mpps  Dimensions W x H x D : 11x 4.33x 1.02 inches  (279.4 x 110 x 26 mm)  Unit weight : 3.14 lb. (1.425 kg)  Power : 100–240VAC, 50–60 Hz, internal, universal  Certifications : UL (UL 60950), CSA (CSA 22.2), CE mark,  FCC Part 15 (CFR 47) Class A  Operating temperature : 32° to 104°F (0° to 40°C)  Storage temperature : –4° to 158°F (–20° to 70°C)</p> <p><b>CISCO Linksys WAP300N Wireless-N  Access Point N300 Dual Band</b></p> <p>Technical Specifications:  - Technology : Wireless-N  - Bands : 2.4 GHz and 5 GHz  - Standards : IEEE 802.11g, 802.11b, 802.11a, 802.11n  - Antennas : 2 External R-SMA  - External Ports x Speed : 1 x 10/100  - Software Setup : CD Install  - OS Compatibility : Windows, MAC</p>	
<p><b>6. Voice Recorder</b></p>	<p>1 Unit</p>	<p><b>4GB BX Series MP3 Digital Voice Recorder</b></p> <p>Specifications:  Built-In memory : 4GB  PC Connectivity : No  Channel : Monaural  Recording Format : HVXC/MP3  Playback Format : HVXC/MP3  Messages/Folders 495 (99 messages in 1 folder)  Earphone Jack Yes  Battery type Dry Battery ( Alkaline, Size AAA ) x 2  Dimension (W x H x D) Approx. 38 .5 x 115.2 x 21.3 mm  Weight (including batteries) Approx. 72g  Mic-In Jack Yes  Battery Life for Recording : MP3 (44.1kHz, 128kbps) Approx. 28 Hrs  Max. Recording Time : 128kbps Recording Time Approx. 65 Hrs 10 Min  Voice-Operated Recording (VOR) : Yes  Noise Cut Function : Yes  Low Cut Filter : Yes  Digital Pitch Control (Speech Control) Yes  MP3 music playback Yes  Microphone Input Yes  Dry Battery (Alkaline, Size AAA) : (2)</p>	

<b>7. Document Scanner (ADF)</b>	<b>1 Unit</b>	<p style="text-align: center;">Compact Color Document Scanner (DR-C130)</p> <p>Specifications:</p> <ul style="list-style-type: none"> <li>- Type Desktop Sheetfed Scanner</li> <li>- Document Feeding Automatic or Manual</li> <li>- Feeder Capacity at least 30 Sheets</li> <li>- Grayscale 8-Bit</li> <li>- Color 24-Bit</li> <li>- Scanning Element Contact Image Sensor (CMOS)</li> <li>- Light Source RGB LED</li> <li>- Operating Modes Simplex, Duplex, Color, Grayscale, Black and White</li> <li>- Optical Resolution 600 dpi</li> <li>- Output Resolution 100, 150, 200, 240, 300, 400, 600 dpi</li> <li>- Black And White Simplex: 30 ppm Duplex: 60 ipm</li> <li>- Color 24 Bit Simplex: 30 ppm Duplex: 60 ipm</li> <li>- Interface Hi-Speed USB 2.0</li> <li>- Scanner Drivers : Compatible to Windows 8.1</li> <li>- Scanner Drivers : ISIS / Twain</li> </ul>	
<b>8. ArcGIS License</b>	<b>1 Unit</b>		